

DATASHEET

Glass XS -Reader

The Glass XS Reader, with a stylish and elegant design, facilitates the integration of the wall reader in combination with the door controllers for a easy and complete control of electric devices.

























TECHNICAL DATA:

Reader dimensions:	90 x 90 x 4 mm	
Weight:	0,7 kg	
Panel material:	Tempered glass	
IP class:	IP66 (electronics)	
Certifications:	CE, UKCA, FCC, IC, ACMA, EAC, MIC, IMDA, CRA, SUBTEL	

ELECTRONIC FEATURES:

Power:	12V supplied by the door controller.
Connection to the door controller:	AWG24 twisted pair or AWG18 cable connection.
LED lamps:	Multi colour led to indicate access authorisation.

ELECTRONIC CHARACTERISTICS:

Operations conditions:

	Min	Max	Unit
Temperature:	-30*	70	°C
Humidity:	35	85	%

Power consumption:

	Min	Max	Unit
Reader		195	mA

Operating voltage:

	Min	Max	Unit
Reader:	6	16	V

RF characteristics:


	Min	Cen	Unit
RFID frequency:		13,56	MHz
Bluetooth LE frequency:	2,4	2,445	GHz

CREDENTIAL TECHNOLOGIES:

JustIN Mobile Credentials¹:	•
NXP MIFARE*2:	•
HID*3:	•

¹Bluetooth Digital Key and Near Field Communication (NFC)

TECHNICAL DRAWING:



SALTO PLATFORMS:

	S		2 3
SVN data-on-card	•	_	•
JustIN Mobile	•	•	•
BLUEnet Wireless	•	•	•
Apple Wallet	_	_	•

¹Salto Space. On-premise access control platform

COVER FINISH:

Black	•	
White	•	

² MIFARE® DESFire® EV1/EV2/ EV3, MIFARE® Plus, MIFARE® Ultralight C, MIFARE® Classic.

³ iCLASS°, Seos°.

² Salto KS. Cloud-based access control platform

³ Salto Homelok. Cloud-based access control platform




Salto Systems.

Get in touch with our team.

Give us a brief summary of your needs, your next project and we'll get back to you.

Spain, UK, France, Germany, Switzerland, The Netherlands, Belgium, Poland, Slovakia, Slovenia, Czech Republic, Denmark, Norway, Sweden, Finland, Italy, Portugal, US (NYC - Atlanta - LV), Canada, Mexico, Costa Rica, Colombia, Puerto Rico, Chile, UAE, India, South Africa, Singapore, China, Hong Kong, Korea, Vietnam, Australia, New Zealand.



TECHNICAL SPECIFICATIONS - DATASHEET-GLASS XS READER-WRDXXG-ENG-05-24

_

Copyright © 2024 Salto Systems

Salto Systems reserves the right to modify technical specifications, designs and performance without notice.